HANDBOOK

of

NAVAL SHORE STATION ELECTRONICS CRITERIA

Cooke Engineering Company 735 North Saint Asaph Street Alexandria, Virginia

DEPARTMENT OF THE NAVY BUREAU OF SHIPS

UNCLASSIFIED

Change 1: August, 1958

Change 2: July, 1960

UNCLASSIFIED NAVSHIPS 92675

LIST OF EFFECTIVE PAGES

PAGE NUMBERS	CHANGE IN EFFECT	PAGE NUMBERS	CHANGE IN EFFECT
Title Page	Change No. 2	3-1 to 3-4	Change No. 2
ii	Change No. 2	4-1 to 4-16	Change No. 2
iii to iv	Original	I-1 to I-3	Original
v to xi	Change No. 2	II-0	Original
1-0 to 1-2	Original	II-1 to II-9	Change No. 2
1-3 to 1-6a	Change No. 2	III-1 to III-3	Original
1-7 to 1-32	Original	IV-1 to IV-3	Original
1-33 to 1-34	Change No. 2	V-0 to V-5	Original
2-1 to 2-4	Original	VI-0 to VI-19	Original
2-5 to 2-50 u	Change No. 2	VII-1 to VII-12	Original
2-51 to 2-60	Original	VIII-1 to VIII-2	Original
2-60a	Change No. 2	IX-1 to IX-4	Change No. 2
2-61 to 2-66	Original	X-1 to X-33	Change No. 1
2-66a to 2-66c	Change No. 2	XI-0 to XI-10	Change No. 1
2-67 to 2-98	Original	XII-1 to XII-3	Change No. 2
2-99 to 2-105	Change No. 2	i-1 to i-3	Change No. 2

UNCLASSIFIED NAVSHIPS 92675

Change 2 to NAVSHIPS 92675

INSTRUCTION SHEET

1. Make the following pen and ink corrections:

<u>PAGE</u>	<u>ACTION</u>
1-1	Put Note at bottom of page "NOTE": Wherever Bureau of Ships Manual appears in the handbook, change to read "Bureau of Ships Technical Manual".
1-2	Para $1-4b$ – add at end of para – "See para $1-221(2)$ ".
1-12, 1-14	Para 1-22 $a(3)(d)$ and 1-22 $b(4)(g)$ — delete "1 mile" in both places and replace with "Field density measurement to decide distances".
1-14	Para $1-22b(3)(b)$ - change 70-ohm to 75-ohm.
1-16	Para 1-22d(1)(b) - delete last sentence and add "See Reference 1, Appendix XII".
2-4	Para $2-2a(5)(b)$ lines 5 and 9 change 70 ohm to read "75 ohm".
2-59	1st para, line 12, correct 2nd word to read "every"; all of page, change 70 ohm wherever appearing to "75 ohm" - change RG-85/U to "RG-85A/U" wherever appearing.
2-61	Para 1. RF DISTRIBUTION, change first three sentences to read "1. RF Distribution.— Standard practice is to bring all RF signal energy into the building on standard outside coaxial cable. Cabling within the building is standard inside coaxial cable. First transition from outside coaxial to inside coaxial shall be at the point of cable entry by standard connector adaptors". End of 2nd para add — "see Figure 2-27a".
2-66	Delete Figure 2-30.
2-67	Delete Figure 2-31.
V-3	2nd para, delete period and add "in Appendix XII".
	and the second s

- 2. Remove pages i and ii, replace with Change 2, i and ii.
- 3. Remove pages v to xi, replace with Change 2, v to xi.
- 4. Remove pages 1-3 to 1-6, replace with Change 2, 1-3 to 1-16.
- 5. Add page 1-33.
- 6. Remove page 2-5 to 2-50 inc, replace with Change 2, 2-5 to 2-50 u.
- 7. Insert Change 2 page 2-60a following original 2-60.
- 8. Add Change 2 pages 2-66a, 2-66b, 2-66c (reverse blank) following original 2-66.
- 9. Remove Change 1 pages 2-99 to 2-105, replace with Change 2 pages 2-99 to 2-105 (reverse blank).

UNCLASSIFIED NAVSHIPS 92675

- 10. Remove Change 1, Section 3 in its entirety, replace Change 2, Section 3 and Change 2, Section 4.
- 11. Remove pages II-1 to II-7, replace with Change 2 pages II-1 to II-9 (reverse blank).
- 12. Remove Change 1, Appendix IX, replace with Change 2, Appendix IX (front page and pages IX-1 to IX-4).
- 13. Remove Change 1, Appendix XII, replace with Change 2, Appendix XII (front page and pages XII to XII-3).
- 14. Remove Change 1, index and replace with Change 2, index (pages i-1 to i-4).



DEPARTMENT OF THE NAVY BUREAU OF SHIPS

BUREAU OF SHIPS WASHINGTON 25, D. C.

IN REPLY REPER TO Code 993-100 31 December 1956

From:

Chief, Bureau of Ships

To:

All Activities concerned with the Subject Handbook

Subj:

Handbook of Naval Shore Station Electronics Criteria

NAVSHIPS 92675

- 1. This Handbook of Naval Shore Station Electronics Criteria is in effect upon receipt.
- 2. When superseded by a later edition, this publication shall be destroyed.
- 3. Extracts from this book may be made to facilitate the preparation of other Department of Defense publications.
- 4. Errors found in this handbook (other than obvious typographical errors), which have not been corrected by means of Temporary Corrections or Permanent Changes, should be reported. Such report should include the complete title of the publication and the publication number (short title); identify the page and line or figure and location of the error; describe the error or indicate what change should be made; and be forwarded to the Electronics Publications Section (Code 993) of the Bureau of Ships.
- 5. All Navy requests for NAVSHIPS electronics publications should be directed to the nearest Bureau of Supplies and Accounts Forms and Publications Supply Point. When changes or revised books are distributed, notice will be included in the Electronics Information Bulletin, NAVSHIPS 900, 022A, and in the Index of Bureau of Ships General and Electronics Publications, NAVSHIPS 250-020.

A. G. MUMMA Chief of Bureau

RECORD OF CORRECTIONS MADE

CHANGE NO.	DATE	FIELD CHANGE NO.	SIGNATURE
	,		

and the second s

ODICINAL

TABLE OF CONTENTS

SECTION 1 - ADMINISTRATIVE PLANNING CRITERIA AND PROCEDURES

Paragra	ph	Page	Paragraph		Pag
1-1	Objective	1-1		(2) Suitability for Communications .	1-10
1-2	Responsibilities			(3) Isolation	1-12
	a. Bureau of Ships		<i>b</i> .	The Radio Receiver Station	1-12
	b. Maintenance Authority			(1) Primary Objective	
	c. Bureau of Yards and Docks	1-1		(2) Fundamental Suitability	
	d. Management Bureau or Office	1-1		(3) Suitability for Communications.	
1.2	Same of Bananaihilian	1.2		(4) Isolation	
1-2	Scope of Responsibility		с.	The Communication Center	
1-4	Plant Development			(1) Components	
	a. Optimum Facility			(2) Site	
	b. Safety			(3) Qualifying Factors	
	c. Compromises		ı	(4) General Building Requirements. Naval Air Station Radio Facilities.	
	d. Development		a.	(1) General Requirements	_
1-5	Power Requirements	1-3		(a) General	
1-6	Building and Outside Plant Require-			(b) Aircraft Clearance	
	ments			(c) Ammunition and Fuel Storage	1 10
1-7	Fire Protection	1-3		Areas	1-16
1-8	Personnel Requirements	1-4		(d) Living Quarters	
1-9	Personnel Housing and Recreation	1-4		(e) Emergency Power	
1-10	Military Requirements	2.5		(2) Specific Requirements	
1-11	Fiscal Considerations			(a) Operations Building	
	Logistic Support			(b) Control Tower	1-20
				(c) High Frequency Transmitters	1-20
1-13	•			(d) VHF/UHF Transmitters	1-22
1-14	Physical Security			(e) High Frequency Receivers	1-22
1-15	Planning and Construction	1-5		(f) VHF/UHF Receivers	1-22
1-16	Chronology, Public Works Project			(3) Construction	1-22
	(Military Construction, Navy)	1-5		(a) Buildings	1-22
1-17	Improvement Projects (Annual			(b) Utilities	1-22
	Appropriations)	1-6	e.	Air Navigational Aids and Traffic	
1-18	Pre-turnover Requirements	1-7		Control Facilities	
1-19	Turnover Procedure	1-7	•	(1) RATCC	
	Services Performed by the Bureau of			(2) Fixed GCA	
1 20	Ships	1-7		(3) Mobile GCA	
	a. Technical Planning			(4) VHF/UHF Direction Finders	1-20
	b. Preliminary Planning and Feasabil-			(5) LF/MF Four Course Radio	1-26
	ity Studies	1-7		Range	
1-21	Communication Station Requirements			(7) Air Surveillance Radar Installa-	1-20
1 21	a. Site Factors			tions	1-26
	b. Fundamental Suitability			(8) Radar Beacons	
	c. Accessibility			(9) VHF Omni-Range	
	d. Costs			(10) UHF Omni-Range	
	e. Expansion and Emergencies			(11) "H" Facility, L/MF, UHF,	0
1-22	Special Requirements			Homing	1-28
	a. The Radio Transmitter Station			(12) Instrument Landing System	
	(1) Primary Objective			(13) Aircraft Guidance Central	
	A == 1.				

IINCI ASSIELED

Paragraph		Page	Paragraph		Page
f.	Radar Installations	1-28	ь.	Summary	2-5
•	(1) Application		2-3 A	ntenna and Transmission Line System	
	(2) Terrain		E	ngineering	2-5
	(3) Housing and Tower Construction		a.	General	2-5
	(4) Power	1-29	ь.	Interpretation of Antenna Require-	
	(5) Remote Control and Display			ments	2-6
	(6) Training		с.	Antenna Gain	
φ.	Training Activities		d.	Antenna Separation	2-13
	Harbor Defense Facilities			Antenna Types	
	(1) General			(1) VLF Antennas	
	(2) Harbor Survey			(2) Low Frequency Antennas	
	(3) Harbor Defense Installations			(3) High Frequency Marconi	
	Radiac Repair Facilities			Antennas	2-15
	High Frequency Direction Finder	- 50		(4) Doublet Antennas	
7.	(D/F) Facilities	1-30		(a) Single Wire Doublet	
	(1) General			(b) Two- and Three-Wire Folded	2-17
				Doublet	2 17
	(2) Method of Tracking				
	(3) Composition			(c) Tilted Doublet	
	(4) Site Characteristics			(d) Stubbing Doublet Antennas	
k.	Control Link Facilities			(e) Terminated Folded Antennas.	2-1/
	(1) General			(f) Application for General-	
	(2) Operating Frequencies	1-31		Coverage Requirements	
	(3) VHF Requirements	1-31		(g) Doublet Arrays	
	(4) Microwave Requirements	1-32		(5) HF Sleeve Antennas	2-18
	(5) Terrain	1-32		(a) Omnidirectional	2-18
•	(6) Towers			(b) 180 Degree Coverage	2-18
	(7) Radio Frequency (RF) House			(c) Corner Reflectors	2-29
	(8)° Repeater Station Building			1. 360 Degrees, 4-27 MC	2-29
l.	Radiation Hazards			2. 270 Degrees, 4-27 MC	2-29
	(1) General			3. 180 Degrees, 4-27 MC	2-29
	(2) Explosives			4. 90 Degrees, 4-27 MC	2-29
	(3) Personnel			5. Ground System	2-29
	(a) Body-Exposure Tolerance			6. Tolerances	2-29
	(b) Preventive Measures			(6) Conical Monopole	2-30
	(4) Measurement and Instruments			(7) Discone	
				(8) Yagi Antennas	
SECTION	2 - SYSTEM ENGINEERING CRITE	RIA		(9) Log Periodic	
2-1 G	eneral	2-1		(i0) Rhombic Antennas	
	Definitions			(11) Vee Antennas	
	(1) Electronic System		6	VHF/UHF Applications	
	(2) Facility		,	(1) General	
	(3) Systems Engineering	2-1		(2) Antenna Siting	
h	Objective			(a) Woods and Jungle	
0.	. Site Selection and Allowance for			(b) Flat Terrain	
ι.	Growth	2-2			
				(c) Hilly or Mountainous Terrain.	
	ystem Design			(d) Sea Water	
a	. General Design Procedures			(3) Polarization	
	(1) Design Standards			(4) Antenna Types	
	(2) Operational Requirements			(a) Ground Plane	
	(3) System Requirements			(b) Dipole	
	(4) System Plans			(c) Collinear Array	
	(5) System Integration	2-4		(d) Corner Reflector Antennas	2-45

Paragraph	Page	Paragraph Pag
(e) Plane Reflector Antennas	2-45	(2) Plant Development 2-50p
(5) Air/Ground Communications.		(a) Selection of Equipment and
(a) Antenna Height		Systems 2-50p
(6) Multichannel Operation		(b) Site Selection 2-50p
(a) Antenna Multicouplers		(c) Antennas and Antenna
(b) Monitoring		Arrangement 2-50p
(c) Separation		(d) Transmission Lines and
		Matching 2-50q
g. Summary of Antenna Typesh. Radio Frequency Transmission -	2-40	(e) Antenna Switching 2-50q
	2-40	(f) Building Requirements 2-50q
Lines and Matching		(g) Equipment Layout 2-50t
		1. Transmitters 2-50t
(2) Open-Wire Lines		2. Antenna Switching 2-50t
(a) Application	2-49	3. Transmitter Control 2-50t
(b) Physical Properties and	2.500	4. Main Frame 2-50t
Installation		5. Power Distribution 2-50t
(c) Construction		(h) Power Requirements 2-50u
(3) Coaxial Transmission Lines.		(i) Maintenance and Test Facil-
(a) Application		ities 2-50u
(b) Rating of Coaxial Cables.		d. The Radio Receiver Station 2-51
(c) Balanced Cables		(1) Operational Requirements 2-51
(4) Monitoring		(2) Plant Development 2-51
i. Site Selection		(a) Selection of Equipment and
(1) Requirements		Systems 2-51
(a) Topography		(b) Site Selection 2-51
(b) Ground Constants		(c) Building Requirements 2-51
(c) Space Availability		(d) Equipment Layout 2-56
(d) Site Environmental Factors		(e) Antennas 2-59
(2) Site Surveys		(f) Transmission Lines 2-59
(a) General Procedures		(g) Patching and Distribution 2-59
(b) Field Strength Measuremen		(b) Power Requirements 2-61
1. Signals		(i) Maintenance and Test Facil-
2. Interference		ities 2-61
(c) Presentation of Data	2-50g	(j) Plans and Specifications 2-62
2-4 Communication System Engineering.	2-50g	2-5 Terminal Systems 2-62
a. The Naval Communications Statio	n . 2-50g	a. General
b. The Communication Center	2-50k	
(1) Functional Components	2-50k	b. System Design
(a) Message Center	2-50k	c. Summary
(b) Technical Control Center.	2-50k	2-6 Radio Link Systems 2-68
(c) Relay Center	2-50k	a. Purpose of Radio Links 2-68
(d) Support Facilities	2-50k	b. Communication Control Equipment 2-68
(2) Operational Requirements	2-50k	c. Radar Relay Equipment 2-70
(a) Site Selection	2-50k	d. Operational Requirements 2-70
(b) Equipment and Systems	2-50k	e. Site Considerations 2-72
(c) Building Requirements	2-501	f. Towers and Antennas 2-72
(d) Building Layout	2-501	g. Reflectors 2-72
(e) Antennas and Antenna		2-7 HF Direction Finder Stations 2-72
Arrangement	2-50p	a. Operational Requirements 2-72
(f) Control Lines and Link		b. Site Considerations 2-72
Equipment	2-50p	c. Receiving Qualities 2-72
c. The Transmitting Station	2-50p	d. Facility Arrangement 2-74
(1) Operational Requirements	2-50p	e. Adcock Antennas 2-74

Paragra	1ph	Page	Paragraph Pa	ge
	f. Equipment Requirements	2-74	2-15 Installation Practices 2-9	
2-8	Naval Air Station Communication		a. Objective 2-99	3
	Facilities	2-74	b. Installation Procedures 2-93	
	a. Operational Requirements	2-74	c. Flexibility 2-99	5
	b. Development	2-76	d. Distributing Frames and Patching	
	(1) Control Tower Facilities	2-76	Facilities 2-99	5
	(2) RATCC	2-77	(1) Definitions 2-99	5
	(3) Operations Building	2-77	(2) General 2-90	
	(4) Administrative Communication		(3) Patch Panels 2-90	6
	Center	2-77	(4) Grounding 2-97	
	(5) Transmitter House	2-77	(5) Cabling 2-97	7
	(6) Remote Receiver Building	2-80	e. Interference 2-97	7
	(7) VHF/UHF Transmitter and		2-16 Grounding Criteria 2-99	9
	Receiver Buildings	2-80	a. General 2-99	9
	(8) Siting of Components	2-80	(1) Safety 2-99	9
	(9) System Integration	2-82	(2) Interference 2-99	9
	(10) "Crash Operation" Communica-		(3) Propagation 2-10	00
	tions	2-82	b. Standard Grounding Practice 2-10	00
	(11) Mobile Facilities	2-82	(1) Ground Rods 2-10	00
2-9	Air Navigation Aids and Traffic		(2) Equipment and Cable Ground 2-10	
-	Control	2-82	(3) Transmitter Building 2-10	
	a. Operational Requirements		(4) Receiver Building 2-10	05
	b. RATCC		(5) VHF/UHF Building - (Naval Air	
	(1) Medium Range Air Search		Stations) 2-10	05
	(2) Short Range Air Search		(6) Operations Buildings and Con-	
	(3) Precision Approach Radar		trol Towers 2-10	05
	(4) Instrument Control Room		(7) D-F Stations 2-10	05
	c. Fixed GCA		(8) Radar Installations 2-10	
	d. Mobile GCA		(9) Crypto Facilities 2-10	
	e. VHF/UHF Direction Finders		c. Building Plans 2-10	05
	f. LF/MF Four-Course Radio Range		SECTION 3 - MAINTENANCE AND SYSTEMS	
	g. VHF Omnidirectional Range		TEST CRITERIA	
	b. Radar Beacons			
	<i>i.</i> UHF Range	2-87	3-1 Responsibility 3-1	
	(1) TACAN		3-2 Program	
	(2) Installation		3-3 POMSEE	
	j. Miscellaneous Air Navigation and		3-4 System Test Procedures 3-2	
	Guidance Facilities	2-89	a. Definitions	
2-10	Radar Equipment Installations		b. The System Test Manual 3-2	
2-10	a. Operational Requirements		c. Application 3-2	
	b. Siting Criteria		d. General Specification Requirements. 3-2	
	c. Antenna Considerations		(1) Components	
			(2) Test Equipment 3-2	
	d. Tower Height		(3) Procedures 3-2	
2 11			(4) Recorded Data 3-3	
	Harbor Defense Facilities Engineering.		(5) Performance Standards 3-3	
2-12	Training Facilities	2-92	e. Facilities	
2-13	Radiac Repair Facilities	2-92	(1) Instruction Books 3-3	
2-14	Mobile Installations	2-92	(2) System Availability 3-3	
	a. Equipment	2-92	(3) Test Equipment 3-3	
	b. Radio Interference Reduction	2-93	f. System Test Integration 3-3	

Paragraph	Page	Paragraph Page
(1) Management Bureau/Office (2) Maintenance Authority SECTION 4 - PERFORMANCE STANDARDS		d. Reference Levels4-13e. Signal-to-Noise Ratios4-14f. Operational Standards4-15
4-1 Objective 4-2 Criteria	4-1 4-1 4-1 4-2 4-2 4-3 4-3 4-3 4-4 4-5 4-5 4-5	4-12 Teletypewriter Circuit Operation
4-10 Crosstalk 4-11 Noise a. Definitions b. Discussion c. Measurements	4-8 4-8 4-8 4-9	Pertinent Data Concerning System Tests and Performance Standards Appendix X Fundamentals of Telegraph Signal Distortion Appendix XI Bibliography

LIST OF ILLUSTRATIONS

SECTION 1 - ADMINISTRATIVE PLANNING CRITERIA AND PROCEDURES

Figure		Page	Figure		Page
1-1	The Primary Mission of the Navy Shore		2-5	Broadband 180 Degree Sector Antenna.	2-22
	Establishment is to Furnish Support to		2-5a	Vertical Patterns Broadband 180	
	Such Fleet Units as These	1-0		Degree Sector Antenna	2-23
1-2	Radio Transmitter Building	1-11	2-5b	Azimuthal Patterns Broadband 180	
1-3	Radio Receiver Station	1-13		Degree Sector Antenna	2-24
1-4	Radio Communication Facilities,		2-5c	Corner Reflector, 90 Degree Sector	
	Naval Air Station	1-17		Antenna Array	2-25
1-5	Standard Air Station Operations		2-5d	Dimensional Requirements of 90	
	Building	1-19		Degree Corner Antenna	2-26
1-6	Standard Air Station Control Tower	1-20	2-5e	Vertical Patterns and Reactance Chart,	
1-7	VHF/UHF Receiver Site - Plot Plan.	1-22		90 Degree Corner Reflector	2-27
1-8	HF Receiver Station - Plot Plan	1-22	2-5f	Azimuthal Patterns, 90 Degree Corner	
1-9	Remote VHF/UHF Receiver Building-			Reflector	
	Remote HF Receiver Building	1-23	2-6	Conical Monopole Antenna	2-31
1-10	Airfield Remote Receiver and Trans-		2-6a	Conical Monopole Dimensions	2-32
	mitter Building Sites	1-24	2-6b	Radiation Patterns, Conical Monopole	
1-11	Radar Air Traffic Control Center,			Vs Quarter-Wave Radiator	2-33
	(RATCC)	1-26	2-6c	Conical Monopole Antenna Impedance	
SECTIO	N 2 - SYSTEM ENGINEERING CRITE	RIA		Relative to 70 Ohms	
2-1	Dipole Propagation, Vertical and		2-7	Ground Cone Discone Antenna	2-35
4-1	Horizontal Polarization	2-8	2-7a	2.5 – 20 MC Discone	2-36
2-2	Summary of Standard Reference -	- 0	2-7b	Discone Antennas	2-37
4-2	Radiation Patterns	2-11	2-8	Vertical Radiation Pattern, Log	
2-2a	Unattenuated Field Strength in Milli-			Periodic Antenna	2-38
2 24	volts Per Meter at One Mile, Radiated		2-9	Rhombic Antenna Gain in Horizontal	
	Power One KW	2-12		Plane	2-41
2-2b	Plot of Relative Voltages, Conical		2-10	AS-768/GR Antenna, Outline and	
	Monopole Vs Quarter-Wave Vertical			Mounting Dimensions	2-42
	Radiator	2-12	2-10a	AS-768/GR Antenna Vertical Radiation	
2-2c	Comparison of a Quarter-Wave Vertical			Pattern	2-46
	Radiator Over Perfect Earth and Poor		2-11	Antenna Height Air/Ground Propaga-	o /=
	Earth. Also Half-Wave Radiator			tion	2-4/
	Against the Standard Reference	2-12	2-12	Characteristic Impedance of Parallel	2.50
2-2d	Vertical Patterns, Sleeve Vs Discone,		2 12	Wire Line	2-50
	2.5 MC	2-14	2-13	Line	2-50b
2-3	Top-Loaded Tower – 450 Foot	2.16	2-14	U.S. Naval Communication System	2-50h
	Radiator	2-16		•	
2-4	Vertical Plane Radiation Vertical	2.10	2-15	Major Communication Station	2-50i
	Doublet	2-19	2-16	Communication Center	2-50j
2-4a	Vertical Plane Radiation Horizontal	2.20	2-17	Typical Communication System, Block	2-50
	Doublet	2-20	2.10	Diagram	2-50m
2-4b	Solid Patterns of Vertical and Hori-	2 21	2-18	Typical Floor-mounted MDF	2-)UN
	zontal Doublet Antennas	2-21	2-19	Proposed Typical Layout for Communi-	

Figure		Page	Figure		Page
	cation Center	2-50o	2-36	RATCC - Equipment Layout	2-78
2-20	Radio Transmitting Station	2-50r	2-37	Standard Remote Transmitter Building,	
2-21	(Deleted)			Naval Air Station	2-79
2-22	Typical Receiver Building, Basement		2-38	Standard Remote Receiver Building,	
	Floor Plan	2-52		Naval Air Station	2-81
2-23	Typical Receiver Building, First		2-39	RATCC System - Cabling	2-83
	Floor Plan	2-53	2-40	RATCC - Multiple Hardstand Cabling.	2-84
2-24	Typical Receiver Building, Second		2-41	Typical GCA Hardstand Layout	2-86
	Floor Plan	2-54	2-42	Elements of TACAN System	2-88
2-25	Typical Receiver Building, Cross		2-43	Curves Showing Impedance to Ground	
	Section	2-55		With and Without the Large Conducting	
2-26	Typical Receiver Building, Equipment			Surface as a Ground Plane	2-101
	Layout	2-57	2-44	Noise Voltage Through Input Trans-	
2-27	Receiver Station Antenna Layout	2-60		former and Back-to-Earth Through	2 102
2-27a	Receiving Antenna Distribution			Antenna Earth Capacity	2-102
	System	2-60a	2-45	Ground Resistance Obtainable with	
2-28	D.C. Primary Test Board, Navy Type			Variation in Depths and for Multiple	2-102
	SB-471/FG	2-63		Rod Application	2-105
2-29	Audio Primary Test Board	2-64	2-46	Cable Sleeve of Standard Transmitter	1-104
2-30	Audio Patchboard, Navy Type			Building Floor	1-104
	SB-470/FG	2-66a		ON A PERFORMANCE STANDARDS	
2-31	Teletype Patchboard, Navy Type		SECTION	ON 4 - PERFORMANCE STANDARDS	
	SB-467/FG		4-1	Determining Total Power of a Number	
2-31a	Relay Panel	2-66c		of Equal Tones	
2-32	Microwave Relay System, Block		4-2	Amplification Curve With Compression	4-8
	Diagram	2-69	4-3	Typical World Distribution of Noise	
2-33	MRR3-A Radar Relay System, Block			Grades	4-10
	Diagram	2-71	4-4	Variation of Noise Level with	/ 11
2-34	Typical Plot Plan for AN/GRD-6 HF			Frequency	4-11
	D/F	2-72	4-5	Nomogram for Transforming Effective	
2-35	Naval Air Station Communication	2.75		Antenna Noise Figure-to-Noise Field	<i>(</i> 12
	Facilities	2-75		Strength as a Function of Frequency	4-12

NON-CLASSIFIED NAVSHIPS 92675

IIPS 92675 FRONT MATTER

LIST OF TABLES

SECT	ION 2 - SYSTEM ENGINEERING CRITER	RIA		and Equipment 2-100
2-1	Antenna Design - Frequency Grouping	2-6		
2-2	Standard Frequency Designations	2-6	SECTI	ON 4 - PERFORMANCE STANDARDS
2-3	Antenna Separation	2-13	4-1	Frequency Stability 4-2
2-4	Antenna Types	2-48	4-2	Bandwidth4-4
2-5	Standard Transmitter Power		4-3	DBM - Power - Voltage 4-6
	Designations	2-50 _P	4-4	Noise Measurements with Adjusted
2-6	Maximum Allowable Ground Resistance			Reading 4-13
	for Electrical Distribution Systems		4-5	Signal-to-Noise Ratio 4-14

TABLES

FOREWORD

The purpose of this handbook is to provide in one document, criteria for the establishment, maintenance, and, to a limited extent, the operation of Shore Electronic Installations. Material used in the preparation of the handbook has been taken from current Bureau directives, instruction books, field studies, and reports of research and development which tend to promote standardization and to provide optimum performance of the installed electronic systems which are a part of the Naval Shore Establishment.

This handbook will be kept current by changes in the form of correction sheets, new sheets, and addenda. Progress in this field comes from the Bureau's continuing research and development programs, and plant engineering improvements stemming from experience and changes in requirements. Information contained in directives which are appropriate to the publication will be integrated herein by the above changes. This, however, will in no way affect the status of the directives. References to specific directives are not necessarily included in the text.

In establishing criteria for equipment procurement for installation at shore activities, the Bureau of Ships is held to standard procedures as prescribed in OPNAV INSTRUCTION 4720.9, Serial 206P41 of 18 March 1955 as revised October 1956. This involves a period of prototype development and evaluation which may delay the utilization of some of the latest improved equipment features but will assure the eventual installation of the most effective and reliable devices obtainable to improve combat readiness.

The intent of section one is to provide non-technical coverage which will be of value to Commanding Officers, Staffs, Public Works Officers, etc., with whom Bureau of Ships Maintenance Authorities are required to collaborate in planning for and establishment of shore electronic facilities.

Section two is provided for Bureau of Ships Maintenance Authorities and other field technical personnel, and is intended to provide engineering standards to be used in technical control of design, development, procurement, and installation of electronic equipment and systems.

Section three, as part of change No. 2, contains Maintenance and System Test Criteria which will be of assistance to the Maintenance Authority and operating personnel to maintain equipment and establish system test procedures for equipments in shore electronic facilities with a view toward sustaining optimum performance.

Section four, as part of change No. 2, delineates performance standards and factors affecting performance of equipment and systems to assist the Maintenance Authority and operating personnel in maintaining the standards of performance to assure continuity of operational requirements.

This publication shall be used as a guide for annual inspections and preparation of improvement or military construction projects. Consideration will be given to properly justified requests for waivers, and the Bureau of Ships will, from time to time, direct departures from the standards.






Figure 1-1. The Primary Mission of the Navy Shore Establishment is to Support Such Fleet Units as These