© 1962 MAmerican Telephone and Telegraph Company Printed in U. S. A.

BELL SYSTEM PRACTICES Teletypewriter and Data Stations

SECTION P34.001 Issue 5, July, 1962 AT&TCo Standard

ALPHABETICAL INDEX OF 28-TYPE EQUIPMENT BELL SYSTEM PRACTICES AND ASSOCIATED 28 ASR STATION DRAWINGS

CONTENTS

PAGE

| 1. | BELL SYSTEM PRACTICES (P34. SECTIONS) | 2 |
|----|--|----|
| 2. | ASSOCIATED BELL SYSTEM PRACTICES | 16 |
| 3. | ASSOCIATED 28 ASR STATION DRAWINGS (NOT IN BELL SYSTEM PRACTICES) | 18 |

.

ALPHABETICAL INDEX OF P34.001 28-TYPE EQUIP-Page.1 MENT

1. BELL SYSTEM PRACTICES (P34. SECTIONS)

BSP No.

A

Adapter Unit, Reperforator-Transmitter Answer-back Mechanism **Apparatus** Cabinet Coding and Description P34.550 Lubrication Requirements and Adjustments P34.665 Wiring Diagrams: 28R P34.323 28L.A P34.354 Apparatus Cabinet Cable-turning Section and End Panel Coding and Description P34.105 Automatic Send-Receive (ASR) **Teletypewriter Set** (ASR) **Auxiliary Features** Coding and Description Disassembly and Reassembly Lubrication Requirements and Adjustments: Part of KSR & RO TTYs Other Than KSR & RO TTYs Wiring Diagram Auxiliary Typing Reperforator Auxiliary Typing Reperforator Base

See Reperforator-Transmitter Adapter Unit See specific apparatus

P34.105

See Teletypewriter Set, Automatic Send-Receive

P10.382 See specific apparatus See specific apparatus

P34.615 See specific apparatus See specific apparatus See Reperforator, Auxiliary Typing See Reperforator Base, Auxiliary Typing

R

Base, Perforator-Transmitter

Base, Sequence Selector

Base, Tape Teletypewriter

See Perforator-Transmitter-Base See Selector Base and Unit, Sequence See Teletypewriter Base and Cover, Tape



Base, Teletypewriter (Page Printer) See Teletypewriter (Page Printer) Base (KSR & RO) See Transmitter-Distrib-**Base**, Transmitter-Distributor utor Base **Base**, Typing Reperforator See Reperforator Base (KSR & RO), Typing **Base, Typing Reperforator** See Reperforator Base, (Auxiliary) Auxiliary Typing Box, Paper Coding and Description P10.382 See Stuntbox Box. Stunt Box, Type (Typebox) See Typing Unit С **Cabinet**, Apparatus See Apparatus Cabinet Cabinet, Teletypewriter See Teletypewriter Cabinet See Reperforator Cabinet Cabinet, Typing Reperforator and Cover, Typing Cable-turning Section See Apparatus Cabinet Cable-turning Section and End Panel

Codomat and Codomat Cabinet. 1LA

Copyholder Coding and Description Requirements and Adjustments Cover, Tape Teletypewriter

Cover, Teletypewriter (Page Printer)

Cover, Typing Reperforator

Cover Assembly, Distributor Mounting and Cover Assembly, Receiving Selector Mounting and

Cover Assembly, Transmitter-**Distributor Mounting and**

ALPHABETICAL INDEX OF **28-TYPE** P34.001 EQUIP-Page 3 MENT

See Part 2

P10.382 P34.615 See Teletypewriter Base and Cover, Tape See Teletypewriter (Page Printer) Cover See Reperforator Cabinet and Cover, Typing See Distributor Mounting and Cover Assembly See Selector Mounting and Cover Assembly, Receiving See Transmitter-Distributor Mounting and Cover Assembly

Page 4

BSP No.

, ,

D

| Distributor | |
|--|----------------------------------|
| Coding and Description | P34.103 |
| Lubrication | P34.510 |
| Requirements and Adjustments | P34.630 |
| Wiring Diagram | P34.303 |
| Distributor Mounting and Cover Assembly | |
| Wiring Diagram | P34.326 |
| Distributor, Transmitter | See Transmitter-Distrib- utor |

Ε

| Electrical Service Unit | |
|------------------------------|---|
| Coding and Description | P34.107 (When Issued) |
| Disassembly and Reassembly | P34.406 |
| Lubrication | P34.505 |
| Requirements and Adjustments | P34.622 |
| Wiring Diagrams: | |
| 28A & 28B Types | P34.302 |
| 28C Type | P34.304 |
| 28D Type | P34.309 |
| 28E Type | P34.302 |
| 28F Type | P34.317 |
| 28G Type | P34.318 |
| 28H & 28J Types | P34.317 |
| 28K Type | P34.309 |
| 28L Type | P34.325 |
| 28M Type | P34.302 |
| 28N Type | P34.302 |
| 28P Type | P34.325 |
| 28R & 28S Types | P34.302 |
| 28LA Type | P34.350 |
| 28LB Type | P34.352 |
| 28LC Type | P34.351 |
| 28LD Type | P34.353 |
| | |
| End Panel, Apparatus Cabinet | See Apparatus Cabinet Cable-turning Section and End Panel |

1

65

F

| Feed, Sprocket | See Sprocket Feed |
|---|---|
| Feedout and Transmitter-Distrib- utor Control, Page Coding and Description Disassembly and Reassembly Lubrication Requirements and Adjustments Wiring Diagram | P10.382 P10.382 P34.501 P34.615 P34.301 |

G

| Gear (Set of Gears) | |
|--------------------------------------|------------------------|
| Coding and Description | P34.106 |
| Disassembly and Reassembly | See specific apparatus |
| Lubrication | See specific apparatus |
| R equirements and Adjustments | See specific apparatus |
| Governor (Governed Motor) | See Motor Unit |

Holder, Copy Horizontal Tabulation

Housing, Transmitter-Distributor

н

See Copyholder See Tabulation and Transmitter-Distributor Control, Horizontal See Transmitter-Distributor Housing

ĸ

Keyboard, Perforator-Transmitter-Base Keyboard, Tape Teletypewriter

Keyboard, Teletypewriter (Page Printer) Keyboard, Typing Reperforator

ALPHABETICAL INDEX OF 28-TYPE P34.001 EQUIP-Page 5 MENT

See Perforator-Transmitter-Base See Teletypewriter Base and Cover, Tape See Teletypewriter (Page Printer) Base (KSR & RO) See Reperforator Base (KSR & RO), Typing

| BSP | No. |
|-----|-----|
|-----|-----|

L

| Lubricants and Lubrication | Tools | See Part 2 | |
|----------------------------|-------|------------|--|
|----------------------------|-------|------------|--|

Μ

| Maintenance Inspections and Tests | P34.500 |
|---|---|
| Maintenance Tools and Supplies | See Part 2 |
| Mechanisms | See specific mechanism |
| Motor Unit | D24.107 |
| Coding and Description | P34.106 |
| Disassembly and Reassembly | P34.403 |
| Lubrication | P34.502 |
| Requirements and Adjustments | P34.611 |
| Wiring Diagram | P34.301 |
| Mounting and Cover Assembly, Distributor | See Distributor Mounting and Cover Assembly |
| Mounting and Cover Assembly, Receiving Selector | See Selector Mounting and Cover Assembly, Receiving |
| Mounting and Cover Assembly, Transmitter-Distributor | See Transmitter-Distrib- utor Mounting and Cover Assembly |
| Multimagnet Nontyping Reper- forator | See Reperforator, Multi- magnet Nontyping |

Ν

Nontyping Reperforator, Multimagnet

Nontyping Reperforator, Single-Magnet

P

Page Feedout and Transmitter-Distributor Control

Page Printer

See Feedout and Transmitter-Distributor Control, Page See Teletypewriter (Page Printer)

See Reperforator, Multimagnet Nontyping

See Reperforator, Single-Magnet Nontyping



\$ (

Panel, Apparatus Cabinet End

Paper and Tape, Teletypewriter Paper Box

Paper Winder

Perforator-Transmitter-Base Coding and Description Disassembly and Reassembly Lubrication Requirements and Adjustments Wiring Diagram

See Apparatus Cabinet Cable-turning Section and End Panel See Part 2 See Box, Paper See Part 2

P34.102 P34.430 P34.530 P34.660 P34.307

R

| Receive-only Teletypewriter Apparatus | See specific apparatus |
|--|--|
| Receiving Selector | See Selector, Receiving |
| Receiving Selector Mounting and Cover Assembly | See Selector Mounting and Cover Assembly, Receiving |
| Reperforator, Auxiliary Typing Coding and Description Disassembly and Reassembly Installation in ASR TTY Lubrication Requirements and Adjustments Wiring Diagram Reperforator, Multimagnet Non- | P34.104 P34.425 P34.437 P34.525 P34.651 P34.308 |
| typing Coding and Description Lubrication Requirements and Adjustments Wiring Diagram Reperforator, Single-Magnet Non- | See specific apparatus P34.532 P34.662 P34.307 |
| typing Coding and Description Disassembly and Reassembly Lubrication Requirements and Adjustments Wiring Diagram Reperforator, Typing (Auxiliary) | See specific apparatus P34.422 P34.522 P34.650 See specific apparatus See Reperforator, Auxiliary Typing |
| ALPHABETICAL INDEX OF | |

28-TYPE P34.001 Page 7

EQUIP-

MENT

65

BSP No.

7 T

| | | BSF No. | |
|-------|------------------------------------|----------------|------------|
| 1 | | | |
| - | Reperforator, Typing | D14 104 | |
| | Coding and Description | P34.104 | |
| | Disassembly and Reassembly | P34.425 | |
| | Lubrication | P34.525 | |
| | Requirements and Adjustments | P34.651 | |
| | Wiring Diagram | P34.308 | |
| | Reperforator Base, Auxiliary Typin | ~ | |
| | Coding and Description | B P34.104 | |
| | | P34.425 | |
| | Disassembly and Reassembly | P34.437 | |
| | Installation in ASR TTY | | |
| | Lubrication | P34.527 | |
| · · · | Requirements and Adjustments | P34.652 | |
| - | Wiring Diagram | P34.308 | |
| 2 | Reperforator Base (KSR & RO), | | |
| | Typing | | |
| | Coding and Description | P34.104 | |
| | Disassembly and Reassembly | P34.425 | |
| | Lubrication | P34.527 | |
| | Requirements and Adjustments | P34.652 | |
| | Wiring Diagram | P34.308 | |
| | 5 5 | 1 04.000 | |
| | Reperforator Cabinet and Cover, | | |
| | Typing | D24 105 | |
| 2 | Coding and Description | P34.105 | |
| - | Disassembly and Reassembly | P34.425 | |
| | Lubrication | P34.526 | |
| | Requirements and Adjustments | P34.654 | |
| | Wiring Diagrams: | | |
| | Cabinet for 4 Typing Reper- | P34.310 | |
| | forators | | |
| | Cabinet for 6 Typing Reper- | P34.313 | |
| | forators | | |
| | Reperforator Table, Typing | | |
| | Coding and Description | P34.105 | |
| : | Reperforator-Transmitter | | |
| | Adapter Unit | | |
| | Coding and Description | P34.105 | |
| | Wiring Diagram | P34.322 | |
| | 0 0 | 1 07.022 | |
| 4 | Reperforator-Transmitter Set | D14 104 | |
| 4 | Coding and Description | P34.104 | |
| | Assembly and Disassembly | P34.420 | |
| | Lubrication | See individual | components |
| | Requirements and Adjustments | P34.635 | |
| | Wiring Diagram | P34.305 | |
| | | | |

| Reperforator-Transmitter Stand | |
|--------------------------------------|---------|
| Coding and Description | P34.104 |
| Disassembly and Reassembly | P34.420 |
| Lubrication | P34.521 |
| Requirements and Adjustments | P34.616 |
| Wiring Diagram | P34.305 |
| Reperforator-Transmitter Unit | |
| Coding and Description | P34.104 |
| Disassembly and Reassembly | P34.420 |
| Lubrication | P34.520 |
| Requirements and Adjustments | P34.635 |
| Wiring Diagram | P34.305 |

S

| Section, | Cable | Turning | |
|----------|-------|---------|--|
|----------|-------|---------|--|

See Apparatus Cabinet Cable-turning Section and End Panel

| Selector Base and Unit, Sequence | |
|---|--|
| Coding and Description | P34.101 |
| Disassembly and Reassembly | P34.410 |
| Lubrication | P34.535 |
| Requirements and Adjustments | P34.613 |
| Wiring Diagram | P34.316 |
| Selector Mechanism | See specific apparatus |
| Selector Mounting and Cover Assembly, Receiving | |
| Wiring Diagram | P34.326 |
| Selector, Receiving | _ |
| Wiring Diagram | P34.32 7 |
| Send-Receive Teletypewriter Apparatus | See specific apparatus |
| Sequence Selector | See Selector Base and Unit, Sequence |
| Service Unit, Electrical | See Electrical Service Unit |
| Set of Gears | See Gear |
| Set, Automatic Send-Receive (ASR) Teletypewriter | See Teletypewriter Set, Automatic Send-Receive (ASR) |

| ALF | HABETICAL |
|---------|-----------|
| | INDEX OF |
| P34.001 | 28-TYPE |
| | EQUIP- |
| Page 9 | MENT |

Set, Keyboard-Send-Receive See Teletypewriter Set, Keyboard-Send-Receive (KSR) or Receive-only (RO) (KSR) or Receive-only Teletypewriter (RO) Set, Multiple-mounted See Transmitter-Distrib-Transmitter-Distributor utor Set, Multiple-mounted Set, Reperforator-Transmitter See Reperforator-Transmitter Set See Transmitter-Distrib-Set, Self-contained Transmitter-Distributor utor Set, Self-contained Set, Stroboscopic Test See Test Set, Stroboscopic Single-Magnet Nontyping See Reperforator, Single-Reperforator Magnet Nontyping Splicer, Tape Description, Installation, and P34.617 Use Disassembly and Reassembly P34.617 P34.617 Lubrication **Requirements and Adjustments** P34.617 Schematic Diagram P34.617 P34.312 Wiring Diagram Sprocket Feed Coding and Description P10.382 Disassembly and Reassembly P34.402 Lubrication P34.501 P34.619 Requirements and Adjustments See Reperforator-Stand, Reperforator-Transmitter Transmitter Stand Stationery, Teletypewriter See Part 2 **Ribbons** and Stroboscopic Test Set See Test Set, Stroboscopic P34.460 Stuntbox Function Parts. Installation of Stuntbox Mechanisms and Princi- P34,461 ples of CDC Assignments on **Broadcast Circuit for Air Line** Traffic See Selector Base and Stuntbox, Sequence Selector Unit, Sequence See Typing Unit Stuntbox, Typing Unit

BSP No.





Т

| Table, Typing Reperforator | See Reperforator Table, Typing |
|--|-----------------------------------|
| Tabulation and Transmitter- Distributor Control, Horizontal | Typing |
| Coding and Description | P10.382 |
| Disassembly and Reassembly | P10.382 |
| Lubrication Requirements and Adjustments | P34.501 P34.618 |
| Requirements and Adjustments Wiring Diagram | P34.018 P34.301 |
| Tabulation and Transmitter- | |
| Distributor Control, Vertical | |
| Coding and Description | P10.382 |
| Disassembly and Reassembly | P10.382 |
| Lubrication | P34.501 P34.615 |
| Requirements and Adjustments Wiring Diagram | P34.301 |
| Tape Splicer | See Splicer, Tape |
| Tape, Teletypewriter Stationery | See Part 2 |
| and | See 1 att 2 |
| Tape Teletypewriter Base and | See Teletypewriter Base |
| Čover | and Cover, Tape |
| Tape Typing Unit | See Typing Unit, Tape |
| Tape Winder | See Part 2 |
| Teletypewriter Auxiliary Features | See Auxiliary Features |
| Teletypewriter (Page Printer) Bas (KSR & RO) | e |
| Coding and Description | P34.101 |
| Disassembly and Reassembly | P34.404 |
| Lubrication | P34.503 |
| Requirements and Adjustments | P34.620 P34.301 |
| Wiring Diagram | |
| Teletypewriter Base and Cover, Tap Lubrication | P34,509 |
| Requirements and Adjustments | P34.609 |
| Wiring Diagram | P34.355 |
| Teletypewriter Cabinet | |
| Coding and Description | P34.105 |
| Disassembly and Reassembly | P34.405 |
| Lubrication | P34.504 |
| Requirements and Adjustments | P34.614 |
| ALPHABETICAL | |
| INDEX OF | |
| P34.001 EQUIP- | |
| | |

Page 11

MENT

| Wiring Diagrams: | |
|---|--|
| As Part of ASR TTY: | 54440 |
| 28F TTY Cabinet | P34.319 |
| 28F TTY Cabinet with 28C | P34.304 |
| ESU | D24 224 |
| 28F TTY Cabinet with | P34.324 |
| 28F-1 or 28G ESU | P34.314 |
| 28G & 28H TTY Cabinets | P 54.514 |
| As Part of KSR & RO TTYs: 28LB TTY Cabinet | P34.356 |
| Other Than 28LB TTY | P34.302 |
| Cabinet | 1 54.502 |
| | |
| Teletypewriter (Page Printer) Cover | |
| Coding and Description | P34.105 |
| Disassembly and Reassembly | P34.405 |
| Lubrication | P34.504 |
| Requirements and Adjustments | P34.614 |
| Teletypewriter Cover, Tape | See Teletypewriter Base |
| Teletypewiner Cover, Tupe | and Cover, Tape |
| Teletypewriter Maintenance | P34.500 |
| Inspections and Tests | 1 54.500 |
| - | |
| Teletypewriter Set, Automatic Send-Receive (ASR) | |
| Coding and Description | P34.102 |
| Assembly | P34.435 |
| Lubrication | See individual components |
| Requirements and Adjustments | P34.435 |
| Wiring Diagram | See individual components |
| Teletypewriter Set, Automatic | |
| Send-Receive (ASR) With Codomat | |
| Lubrication | See individual componente |
| Requirements and Adjustments | See individual components See individual components |
| Wiring Diagram | See individual components |
| | See marriadar components |
| Teletypewriter Set, Keyboard Send-Receive (KSR) or Receive | |
| Only (RO) | |
| Coding and Description | P34.101 |
| Disassembly and Reassembly | P34.401 |
| Lubrication | See individual components |
| Requirements and Adjustments | See individual components |
| Wiring Diagram | See individual components |
| Teletypewriter Stationery, | See Part 2 |
| Ribbons, Tapes, Etc. | |
| | |





BSP No. Teletypewriter Tools and Mainte- See Part 2 nance Supplies Test Set, Stroboscopic Description and Operating Methods: 28A P34.805 Wiring Diagrams and Schematics: 28A P34.805 28B P34.805 Timer, 1LA See Part 2 Tools and Maintenance Supplies See Part 2 Transmitter, Reperforator-See Reperforator-Transmitter **Transmitter-Distributor Base** Coding and Description P34.103 Disassembly and Reassembly: As Part of ASR TTY P34.435 As Part of Multiple-mounted P34.418 TD Set As Part of Self-contained TD P34.440 Set Lubrication See specific apparatus **Requirements and Adjustments:** As Part of ASR TTY P34.435 As Part of Multiple-mounted P34.637 TD Set As Part of Self-cointained TD P34.638 Set Wiring Diagram P34.320 Transmitter-Distributor Base Answer-back Mechanism P34.103 Coding and Description Lubrication P34.541 P34.641 Requirements and Adjustments Transmitter-Distributor Cover See Transmitter-Distributor Mounting and Cover Assembly Transmitter-Distributor Housing Coding and Description P34.105 P34.405 Disassembly and Reassembly Requirements and Adjustments P34.435 Wiring Diagram P34.320

ALPHABETICAL INDEX OF P34.001 28-TYPE EQUIP-Page 13 MENT

| Transmitter-Distributor Mounting | |
|---|---------------------------|
| and Cover Assembly | D04100 |
| Coding and Description | P34.103 |
| Disassembly and Reassembly | P34.440 |
| Lubrication | P34.540 |
| Requirements and Adjustments | P34.638 |
| Wiring Diagram | P34.321 |
| Transmitter-Distributor Set, | |
| Multiple-mounted | 54444 |
| Coding and Description | P34.103 |
| Disassembly and Reassembly | P34.418 |
| Lubrication | P34.518 |
| Requirements and Adjustments | P34.637 |
| Wiring Diagram | See individual components |
| Transmitter-Distributor Set, | |
| Self-contained | 544444 |
| Coding and Description | P34.103 |
| Disassembly and Reassembly | P34.440 |
| Lubrication | P34.540 |
| Requirements and Adjustments | P34.638 |
| Wiring Diagram | See individual components |
| Transmitter-Distributor Unit | |
| Coding and Description | P34.103 |
| Disassembly and Reassembly: | 544.444 |
| 28B Type | P34.412 |
| 28C Type | P34.413 |
| 28E & 28H Types 28F & 28G Types | P34.414 |
| 28F & 28G Types | P34.415 P34.415 |
| 28LA & 28LB Types | P 34.415 |
| Lubrication: | D24 (02 |
| 28B Type | P34.603 |
| 28C Type | P34.602 P34.604 |
| 28E & 28H Types 28F & 28G Types | P34.514 |
| $20F \approx 20G Types$ | P34.514 |
| 28LA & 28LB Types | r 54.514 |
| Requirements and Adjustments: 28B Type | D24 622 |
| 20D Type | P34.632 |
| 28C Type | P34.631 P34.633 |
| 28E & 28H Types 28F & 28G Types | P34.634 |
| 28LA & 28LB Types | P34.634 |
| | 1 07.007 |
| Wiring Diagrams: | D24 206 |
| 28B & 28C Types | P34.306 |
| 28E, 28F, 28G, 28H, & 28LA | P34.315 |
| Types | ٤. |

8



| Turning Section, Cable | See Apparatus Cabinet Cable-turning Section and End Panel |
|---|---|
| Typebox | See Typing Unit |
| Typing Reperforator | See Reperforator, Typing |
| Typing Reperforator (Auxiliary) | See Reperforator, Auxiliary Typing |
| Typing Unit (Page Printer) Including Selector Mechanism and Typebox | |
| Coding and Description | P34.101 |
| Disassembly and Reassembly | P34.402 |
| Lubrication | P34.501 |
| Requirements and Adjustments Wiring Diagram | P34.612 P34.301 |
| Typing Unit, Tape | 1 34.001 |
| Lubrication Requirements and Adjustments Wiring Diagram | P34.509 P34.609 P34.355 |
| | |

U

| Unit, Electrical Service | See Electrical Service Unit | |
|--|---|--|
| Unit, Motor | See Motor Unit | |
| Unit, (Mechanism), Nontyping Reperforator | See Reperforator, Non- typing | |
| Unit, Reperforator-Transmitter | See Reperforator- Transmitter Unit | |
| Unit, Reperforator-Transmitter Adapter | See Reperforator- Transmitter Adapter Unit | |
| Unit, Sequence Selector | See Selector Base and Unit, Sequence | |
| Unit, Transmitter-Distributor | See Transmitter- Distributor Unit | |
| Unit, Typing | See Typing Unit | |
| Unit, Typing Reperforator | See Reperforator and Base, Typing | |

ALPHABETICAL INDEX OF P34.001 28-TVPE EQUIP-Page 15 MENT

👾 🛩

V

Vertical Tabulation

See Tabulation and Transmitter-Distributor Control, Vertical

W

| Winder, | | See | Part 2 |
|---------|------|-----|--------|
| Winder, | Таре | See | Part 2 |

2. ASSOCIATED BELL SYSTEM PRACTICES

BSP No. Codomat 1LA Codomat and 1LA Codomat Cabinet, Requirements, Adjustments, Lubrication, and Wiring Diagram P31.551 Indexes and Checking Lists Alphabetical Index of All P Series BSPs P10.200 Checking List of All P Series BSPs Other Than Division P9 BSPs P10.301 Checking List of P Series, Division P9 BSPs. Installation Drawings, and Change Notices P10.329 Checking List of Teletype Corporation Parts Bulletins and Correction Sheets P10.383 Topical Index and Checking List of Teletype Corporation S Specifications P10.382 **Paper and Tape Winders** Paper Winder (15 Type) Installation and Maintenance P31.119 Tape Winder (4A, Motor Driven) Description and Maintenance P31.118.1 P34.311 Wiring Diagram **Power Supply** Power Supply for Teletypewriter Apparatus P30.019





w w

| Routines And Procedures Cleaning (General) | P30.010 |
|--|--------------------|
| Disassembly and Reassembly (General) | P30.010 P30.013 |
| Lubrication (General) | P30.011 |
| Preparation of TTY Apparatus for Installation | P33.014 |
| Requirements and Adjustments (General) | P30.012 |
| Speed Regulation | |
| Teletypewriter Apparatus, Speed Regulation | P30.020 |
| Transmission Measuring Sets, Test Sets, and Testing | |
| TTY Stations, Local Receiving Tolerance Tests Using Portable Equipment for the Test Signals | |
| and the Test Current | P30.004 |
| TTY Stations, Orientation and Distortion Tests | P30.002 |
| 120D2 TTY Subscriber Set | P31.242 |
| 120C4 TTY Subscriber Set | P31.233 |
| 130-type TTY Subscriber Sets With 43A1 Carrier Telegraph Terminal | P31.234 |
| 164C1 and 164C3 TTY Transmission Measuring Sets | P31.405 |
| Timer | |
| 1LA Timer, Requirements, Adjustments, Lubri- cation, and Wiring Diagram | P31.552 |
| Tools, Maintenance Supplies, and Stationery | |
| Papers, Tapes, and Ribbons | P30.022 |
| Tools and Maintenance Supplies | P30.301 |

ALPHABETICAL INDEX OF P34.001 Page 17 MENT

~ ~

3. ASSOCIATED 28 ASR STATION DRAWINGS (NOT IN BELL SYSTEM PRACTICES)

| Subject | Drawing No. |
|---|-------------|
| Private Line Stations | |
| Full-duplex Operation | SD-70889-01 |
| Full-duplex Operations, With 130C1 Subset | SD-70891-01 |
| Half-duplex, With Break Transfer Feature, With or Without Keyboard Sending and Elec- trical Motor Control | SD-70885-01 |
| Half-duplex, Without Break Transfer Feature, With or Without Electrical Motor Control | SD-70888-01 |
| Half-duplex Operation, With 128B2 Subset, With or Without Electrical Motor Control | SD-70892-01 |
| Half-duplex Operation, With 130C1 Subset, With or Without Electrical Motor Control | SD-70890-01 |
| TWX Stations (Attended or Unattended) | |
| 128C3 Subset With 120C2 Subset | SD-70896-01 |
| 130C1 Subset With 120C4 Subset | SD-70895-01 |
| TTY Line Concentrating Units 101A and 102A With 120C4 Subset | SD-70897-01 |
| TTY Switchboard No. 1 or 1A, or TTY Line Concentrating Unit No. 101B, With 120D2 Subset | SD-70893-01 |
| TTY Switchboard No. 3A, 3C, 5, or 67A2, or Multisection Line Terminating in Loop, With 120C4 Subset | SD-70894-01 |

